
# Last Year's "Next steps":

- 1. Final year of swallow survivorship
- 2. Source of spider mercury river or land?
  - PCR on stomach contents to ID
  - Isotope signatures
- 3. Continue Biomarker studies
  - -- Corticosterone in adults and nestlings
  - -- Immune response and infection rates
  - Oxidative damage to chromosomes
- 4. Modeling avian exposure in different habitats




#### Is adult return rate worse on contaminated sites?



Sample size is number alive at end of previous year

## Is adult return rate worse on contaminated sites?


#### Males and Females



Sample size is number alive at end of previous year

## Is female reproduction worse on contaminated sites?


All females (first nest only)



Sample size is number of sampled SY and ASY females


## Annual reproductive success

#### **ASY Females**




Sample size is number of sampled ASY females

## Hypothetical exercise using 2005-2008 data



## **Waynesboro Water Treatment Plant**



spider mercury - river or land?

# Tree Swallow Brood Manipulation Study

Increased broods









Continue Biomarker studies

# Tree Swallow Brood Manipulation Study

We are analyzing blood samples and other measurements we collected for:

- o Growth and survival of young
- o Immune function
  - phytohaemagglutinin (PHA) assay
  - heterophil to lymphocyte ratios
  - blood killing assays
- Hormonal responses
  - hormone assays for thyroid hormone and corticosterone












# Tree Swallow Brood Manipulation Study Nestling T3 levels on Day 14-15



# Tree Swallow Brood Manipulation Study Nestling T4 levels on Day 14-15



## Tree Swallow Brood Manipulation Study Nestling corticosterone levels on Day 14-15



#### OTHER STUDIES IN PREPARATION:

- Mercury deposition in eggs
- Effects on song, nesting success, behavior
- Modeling effects of habitat remediation
- Effects on immune system, disease
- Extent of Hg exposure out into floodplain



## Other studies

#### % Spider biomass in diet doesn't differ by distance from river



