

Pilot Studies Update

Former DuPont Waynesboro Site, Virginia
Area of Concern (AOC) 4

Agenda

- Floodplain Pilot
- South River Pilot
- Knotweed Pilot



Floodplain Pilot

Objective:

- Evaluation of an *in situ* floodplain carbon amendment to reduce MeHg bioavailability to terrestrial invertebrates



Floodplain Pilot

- No unintended consequences
- Trend in reduced soil Hg (F1-3) 6 months post-amendment was not sustained over time
- No difference in earthworm tissue Hg



South River Pilot

Objectives:

- Evaluation of an *in situ* carbon amendment to adsorb THg and MeHg from the water column and the sediment - surface water interface



South River Pilot

- Revised analytical *method* to account for intrinsic properties of biochar
- Optimized biochar analytical *strategy* to focus on THg
- Negligible reduction of Hg in surface water and clam tissue



South River Pilot

- Mid-channel BFS adsorbed ~**10 mg THg (1.8 mg THg/ CF biochar)** over 5-week period
- Surface area and deployment location are key design elements



Knotweed Pilot

Objectives:

- Evaluation of best methods for knotweed removal and control for remediated areas
- Compare 2 types of herbicide treatment



Knotweed Pilot

- April 2018 – Knotweed density plot survey
- June 2018 – Cutting knotweed test plots
- August 2018 Herbicide treatment
- September 2018 – Post-treatment assessments performed at all test plots

Pre-Treatment Spring 2018



Post-Treatment Fall 2018



Knotweed Pilot

Live Stem Density of Test Plots		
Treatment Type	Pre-Treatment	
	Knotweed Density (# stems/m ³)	Average Stem Height (ft)
1 - Cut and Injection	43.6	3
2 - Injection Only	52.4	2.8
3 - Cut and Foliar Application	48.8	2.5
4 - Foliar Application Only	35.2	2.7


- Both methods of herbicide treatment are effective; all plants died after treatment
- Stem diameter $> \frac{3}{4}$ " for foliar application
- Essential to apply treatments both early and often



Thank You!


EXTRA SLIDES

South River Pilot- Biochar Data



Comparison of BAL and Cebam Biochar Data

- Compositated biochar samples
- Cebam data 30-60% higher than BRL data, with similar profile



Floodplain Pilot- Baseline

–Pairwise Comparisons; Bonferroni post hoc ($p < 0.05$)

Monitoring		Baseline (Compared to Control)			
Media	Parameter	Chip		Medium	
		5%	10%	5%	10%
Adult Earthworm	THg	↑	-	-	-
	MeHg	-	-	↑	-
Soil	THg	-	-	-	-
	Seq. Extraction (THg)	-	-	-	-

 No Sig. Diff.
  Increase
  Decrease

Floodplain Pilot- 6 Month

–Pairwise Comparisons; Bonferroni post hoc ($p < 0.05$)

Monitoring		6 Month Post-Amendment (Compared to Control)			
Media	Parameter	Chip		Medium	
		5%	10%	5%	10%
Adult Earthworm	THg	-	-	-	-
	MeHg	-	-	-	-
Soil	THg	-	↓	-	↓
	Seq. Extraction (THg)	↓	↓	↓	↓

 No Sig. Diff.
  Increase
  Decrease


Floodplain Pilot- 12 Month

–Pairwise Comparisons; Bonferroni post hoc ($p<0.05$)



Monitoring		12 Month Post-Amendment (Compared to Control)			
Media	Parameter	Chip		Medium	
		5%	10%	5%	10%
Adult Earthworm	THg	-	-	-	-
	MeHg	-	-	-	-
Soil	THg	-	-	-	-
	Seq. Extraction (THg)	-	-	-	-

 No Sig. Diff.
  Increase
  Decrease

Floodplain Pilot- Soil




Test plots versus control- Pairwise Comparisons; Bonferroni post hoc ($p < 0.05$)




Baseline


Floodplain Pilot- Earthworms



Test plots versus control- Pairwise Comparisons; Bonferroni post hoc ($p < 0.05$)



Baseline



Knotweed Pilot



Legend

- BMA Treatment
- Treatment 1 - Stem Injection
- Treatment 2 - Foliar Application
- Treatment 3 - City of Waynesboro
- Test Plots
- Treatment 1 - Area To Be Cut
- Treatment 2 - Area To Be Cut



Reference:
NAD 1983 StatePlane Virginia North
Projection: Transverse Mercator
Linear Unit: Foot US

0 50 100 200
Feet



AECOM

Figure 1
Site Location Map
Knotweed Pilot

Area of Concern (AOC) 4
Former DuPont Waynesboro Site
Waynesboro, Virginia

Prepared by: CDW

Checked by: JC

Job:

Date: 3/16/2018

Knotweed Pilot

**Pre-Treatment Spring
2018**



Cut and Injection



Post-Treatment Fall 2018

Injection Only



Knotweed Pilot

**Pre-Treatment Spring
2018**



Cut and Foliar Application



Post-Treatment Fall 2018

Foliar Application Only



Knotweed Pilot

Pre-Treatment Spring 2018



City of Waynesboro

Post-Treatment Fall 2018

